QIBA Lung Density Biomarker Committee

March 11, 2015 at 2 PM CT Call Summary

In attendance			RSNA
Philip F. Judy, PhD (Chair)	Ekta Dharaiya, MS	Greg Kinney, MPH, PhD	Joe Koudelik
Andrew Buckler, MS	Sean Fain, PhD	Nancy Obuchowski, PhD	Julie Lisiecki
Heather Chen-Mayer, PhD	Matthew Fuld, PhD	Jered Sieren, BSRT (R) MR CT	Susan Weinmann
Dominic Crotty, PhD	Bernice Hoppel, PhD	Daniel Sullivan, MD	

Discussion Topics 3/11/2015: Lung Density Biomarker Committee

- 1. Vendor COPDGene Phantom 2 Scanning
 - The phantom is currently with Dr. Crotty at GE; to be sent to Dr. Fuld at Siemens
 - The Vendors Task Force will be meeting on Wednesday, March 18th at 2 pm CT to view a demonstration of the U-lowa analysis software by Mr. Sieren
 - All vendors were reminded to submit their signed U-lowa software distribution agreements to Ann Thompson, (ann-thompson@uiowa.edu), and to copy Mr. Sieren (jeredsieren@vidadiagnostics.com) and Dr. Fuld (matthew.fuld@siemens.com)
 - lowa will supply the distribution method and a manual on how to use the phantom
 - Vendors are scanning the same phantom and using the density measurements on specific foams provided by Mr. Levy
 - o The U-lowa software will provide a min/ max and mean / median for these measurements
 - Airway measurements need more detail
- **2.** The Committee is considering writing a proposal to the NLST and COPDGene data managers in order to gain access to additional data for lung mass change and evaluate volume correction methods.
- 3. Profile -
 - The Biomarker Committee plans to have a rough draft available for the May QIBA Annual Meeting
 - o Dose and volume correction are key unresolved issues

Next call: Wednesday, March 25, 2015 at 2 pm CT